

AMENDMENTS TO THE CLAIMS:

This listing of claims replaces all prior versions and listings of claims in the application.

LISTING OF CLAIMS:

1. (Currently Amended) A method of providing ~~access to a software application~~ comprised of an application core of a software application with access to ~~and~~ version-specific functionality, the method comprising:

determining a version of the software application;
providing a module link that corresponds to the version; and
authenticating the module link by verifying against a code that is unique to a user, the module link ~~for enabling being used by the~~ application core to access to the version-specific functionality;

wherein the application core comprises software that is common across multiple versions of the application, the version ~~comprising~~ comprises one of the multiple versions, and the version-specific functionality comprises functionality that is specific to the version of the software application.

2. (Cancelled)

3. (Original) The method of claim 1, further comprising:
encrypting the module link before providing the module link.

4. (Original) The method of claim 3, wherein the module link is encrypted with a public key that corresponds to a user of the software application.

5. (Original) The method of claim 4, further comprising:
receiving the public key used for encrypting the module link.

6. (Currently Amended) The method of claim 1, wherein the module link enables the application core to access to the version-specific functionality by enabling the application core to reference ~~referencing~~ the version specific functionality.

7. (Currently Amended) The method of claim 1, wherein the module link enables the application core to access to the version-specific functionality by enabling the application core to downloading the version-specific functionality and ~~incorporating to incorporate~~ the version-specific module into the application core.

8. (Original) The method of claim 1, wherein the module link comprises configuration settings for the application core.

9. (Original) The method of claim 1, further comprising:
receiving identification information that corresponds to a user of the software application;

wherein the version of the software application is determined using the identification information.

10. (Original) The method of claim 1, wherein the software application comprises a content player in an electronic learning system and the version-specific functionality corresponds to at least one of an online content player, an authoring environment content player, and an offline content player.

11. (Currently Amended) A computer program product for providing ~~access to a software application comprised of~~ an application core of a software application with access to and version-specific functionality, the computer program product being embodied in one or more tangible machine-readable storage media, the computer program product being ~~operable executable by a machine~~ to cause ~~[[a]]~~ the machine to:

determine a version of the software application;
provide a module link that corresponds to the version; and
authenticate the module link by verifying against a code that is unique to a user, the module link ~~for enabling~~ being usable by the application core to access to the version-specific functionality;

wherein the application core comprises software that is common across multiple versions of the application, the version ~~comprising~~ comprises one of the multiple versions, and the version-specific functionality comprises functionality that is specific to the version of the software application.

12. (Cancelled)

13. (Original) The computer program product of claim 11, wherein the computer program product is operable to cause the machine to:

encrypt the module link before providing the module link.

14. (Original) The computer program product of claim 13, wherein the module link is encrypted with a public key that corresponds to a user of the software application.

15. (Original) The computer program product of claim 14, wherein the computer program product is operable to cause the machine to:

receive the public key used for encrypting the module link.

16. (Currently Amended) The computer program product of claim 11, wherein the module link enables the application core to access to the version-specific functionality by enabling the application core to reference ~~referencing~~ the version specific functionality.

17. (Currently Amended) The computer program product of claim 11, wherein the module link enables the application core to access to the version-specific functionality by enabling the application core to download ~~downloading~~ the version-specific functionality and to incorporate ~~incorporating~~ the version-specific module into the application core.

18. (Original) The computer program product of claim 11, wherein the module link comprises configuration settings for the application core.

19. (Original) The computer program product of claim 11, wherein the computer program product is operable to cause the machine to receive identification information that corresponds to a user of the software application; and

wherein the version of the software application is determined using the identification information.

20. (Original) The computer program product of claim 11, wherein the software application comprises a content player in an electronic learning system and the version-specific functionality corresponds to at least one of an online content player, an authoring environment content player, and an offline content player.

21. (Currently Amended) An electronic learning system, comprising:
a first system to provide course content;
a second system to provide a content player that presents the course content; and
a third system to identify a version of the content player that is to present the course content, and to provide a module link for use with by the content player, ~~the module link~~
corresponding to the to obtain modules specific to the version of the content player that is to

present the course content, the modules providing functionality that is specific to the version of the content player that is to present the course content;

wherein the content player comprises software that is common across multiple versions of the content player, the version comprises one of the multiple versions, and the module link is authenticated by a code that is unique to a user ~~for accessing functionality that is specific to the version of the content player that is to present the course content.~~

22. (Cancelled)

23. (Original) The electronic learning system of claim 21, wherein the first system comprises a master repository that stores the course content.

24. (Original) The electronic learning system of claim 23, wherein the content player accesses the content from the master repository.

25. (Original) The electronic learning system of claim 21, wherein the content player is provided to a local computer, the local computer having access to a local repository of course content.

26. (Original) The electronic learning system of claim 25, wherein the content player accesses the content from the local repository.

27. (Original) The method of claim 21, wherein the third system encrypts the module link before providing the module link.

28. (Original) The method of claim 21, wherein the third system encrypts the module link with a public key that corresponds to a user of the software application.